



PLC-338P-IR2/PR

Dome 8 MP



Pollo Pty Ltd.

Address: Suite 401, 55 Phillips St. Parramatta, NSW 2150

Phone: 1300 6600 368

Email: info@pollo.net.au

Website: www.pollo.net.au



PLC-338P-IR2/PR

Dome 8 MP



Specifications:

Model No.	PLC-338M-IR2/PR
Video Output Mode	AHD: 8 MP @ 15 fps, 2 MP @ 30 fps; TVI/CVI: 8 MP @ 15 fps/12.5 fps, 2 MP @ 30 fps
Image Sensor	1/1.8" OmniVision CMOS Sensor
Image Resolution	8 MP: 3840 * 2160, 2 MP: 1920 * 1080
TV System	PAL/NTSC
Electronic Shutter	Auto/Manual
Scanning System	Progressive Scan
Focal Length	3.6 mm
Focus Control	Fixed
Lens Type	Fixed
IR Cut Filter	Yes
Infrared LED	14 μ x 18 pcs
Infrared Distance	20 m
IR Power On / Off	AGC Auto-control
Starlight	N/A
Day/Night	Yes
OSD Menu	Yes
WDR	Yes
Ingress Protection	IP67
Noise Reduction	3 DNR
White Balance	Auto/Manual
Gain Control	Auto
Housing	Metal
Bracket	No
Operation Temperature	-10 °C - +60 °C RH 95% Max.
Storage Temperature	-20 °C - +60 °C RH 95% Max.
Power Source	DC 12 V ± 10%, 550 mA
Dimension	φ93 x 74 (H) mm
Weight	400 g

Dimensions:

