



PLC-338P-IR3/PR
Dome 8MP



Pollo Pty Ltd.

Address: Suite 401, 55 Phillips St. Parramatta, NSW 2150

Phone: 1300 6600 368

Email: info@pollo.net.au

Website: www.pollo.net.au



PLC-338P-IR3/PR
Dome 8MP

Specifications:

Model NO.	PLC-338M-IR3/PR
Video Output Mode	AHD: 8M@15fps, 2M@30fps; TVI/CVI: 8M@15fps/12.5fps, 2M@30fps
Image Sensor	1/2.8" Full HD CMOS sensor
Image Resolution	8M:3840*2160 2M:1920*1080
TV System	PAL/NTSC
Electronic Shutter	AUTO / MANUAL
Scanning System	Progressive Scan
Focus Length	3.6mm
Focus Control	Fixed
Lens Type	Fixed
IR Cut Filter	YES
Infrared LED	14μ x 18PCS
Infrared Distance	30M
IR Power On / Off	AGC Auto Control
Starlight	/
Day/Night	YES
OSD Menu	YES
WDR	YES
UTC	YES
Noise Reduction	3DNR
White Balance	AUTO / MANUAL
Gain Control	AUTO
Housing	Metal, IP67
Bracket	NO
Operation Temperature	-10°C ~ +60°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 550mA
Dimension	φ93 x 74(H) mm
Weight	400g

Dimensions:

