



PLC-954-IR5/PR
4x Mini PTZ 5MP



Pollo Pty Ltd.

Address: Suite 401, 55 Phillips St. Parramatta, NSW 2150

Phone: 1300 6600 368

Email: info@pollo.net.au

Website: www.pollo.net.au



PLC-954-IR5/PR

4x Mini PTZ 5MP


Specifications:

Model	PLC-954-IR5/PR
Image Sensor	1/2.8" SONY Starvis Back-illuminated CMOS Sensor
Horizontal Resolution	5MP
Compression	H.264/H.265
S/N Ratio	>50db
Horizontal Rotation Speed	25°/S
Horizontal Rotation Range	0°~350°
Tilt Rotation Speed	20°/s
Tilt Rotation Range	0°~70°
Preset Points	220
Guard Tours	3 groups
Guard Points	Max.16 points
Focus Length	2.8mm-12mm
Focus Control	4X Optical Zoom
Infrared LED	∅ 35x4PCS
IR Range	50m
Day-night mode	AUTO
Network protocol	TCP/IP, HTTP, FTP, RTSP, UPnP, DNS, NTP, RTP, UDP, IGMP,P2P
ONVIF	Support
Network interface	Built-in RJ45 network interface,support 10M/100M IP DATA
Stream type	Main Stream / Sub Stream / MJPEG
Audio	Optional
Alarm	N/A
POE	Optional
Weatherproof	IP67
Operating Temperature	Indoor: 0°~ +40° Outdoor: -15°~ +60°
Operating Humidity	≤90% Non Condensing
Power	DC12V/2A
Lightning Protection	Transient voltage 3000V
Dimension	14x14x13(cm)
Weight	1.1Kgs

Dimensions:

