



**PLC-335P-IR2/PR-E**  
**Dome 5MP**



**Pollo Pty Ltd.**

Address: Suite 401, 55 Phillips St. Parramatta, NSW 2150

Phone: 1300 6600 368

Email: [info@pollo.net.au](mailto:info@pollo.net.au)

Website: [www.pollo.net.au](http://www.pollo.net.au)



**PLC-335P-IR2/PR-E**
**Dome 5MP**

**Specifications:**

<b>Model NO.</b>	<b>PLC-335P-IR2/PR-E</b>
<b>Video Output Mode</b>	AHD/TVI: 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps
<b>Image Sensor</b>	1/3" Full HD CMOS sensor
<b>Image Resolution</b>	5M:2592*1944    4M:2560*1440    2M:1920*1080
<b>TV System</b>	PAL/NTSC
<b>Electronic Shutter</b>	AUTO
<b>Scanning System</b>	Progressive Scan
<b>Focus Length</b>	2.8mm / 3.6mm
<b>Focus Control</b>	Fixed
<b>Lens Type</b>	Fixed
<b>IR Cut Filter</b>	YES
<b>Infrared LED</b>	14μ x 18PCS
<b>Infrared Distance</b>	20M
<b>IR Status</b>	AGC Auto Control
<b>Starlight</b>	/
<b>Day/Night</b>	YES
<b>OSD Menu</b>	YES
<b>DWDR</b>	YES
<b>UTC</b>	YES
<b>Noise Reduction</b>	DNR
<b>White Balance</b>	AUTO / MANUAL
<b>Gain Control</b>	AUTO
<b>Housing</b>	Plastic
<b>Bracket</b>	NO
<b>Operation Temperature</b>	-10°C ~ +50°C RH95% Max
<b>Storage Temperature</b>	-20°C ~ +60°C RH95% Max
<b>Power Source</b>	DC12V±10%, 550mA
<b>Dimension</b>	90.5(W) x 80(H) x 80(D)mm
<b>Weight</b>	300g

**Dimensions:**

