



## **PLC-5808H2/PR**

8 MP 08 Channel NVR



### **Pollo Pty Ltd.**

Address: Suite 401, 55 Phillips St. Parramatta, NSW 2150

Phone: 1300 6600 368

Email: [info@pollo.net.au](mailto:info@pollo.net.au)

Website: [www.pollo.net.au](http://www.pollo.net.au)



## PLC-5808H2/PR

### 8 MP 08 Channel NVR



#### Specifications:

<b>Model NOo</b>	<b>PLC-5808H2/PR</b>
<b>Main Processor</b>	ARM Cortex A7 Processor
<b>Operating System</b>	Embedded Linux
<b>Input</b>	8 Channel (4096 × 2160, 2592 × 1944, 2048 × 1536, 1920 × 1080, 1280 × 960, 1280 × 720, etc)
<b>Output</b>	1 VGA, 1 HD
<b>Input</b>	1 Port RCA
<b>Output</b>	1 Port RCA(Linear, 1kΩ)
<b>Audio Bit Rate</b>	64 kbps
<b>Audio Compression Standard</b>	G711u, G711a, ADPCM_DVI4
<b>Motion Detection</b>	8 Channel, MD Zones: 396 (22 × 18)
<b>Trigger Events</b>	Recording, Email, FTP, Snapshot, Buzzer and Screen Tips, Alarm Output
<b>HD Output 1</b>	Resolution: 4K (3840 × 2160)/30 Hz, 4K (3840 × 2160)/30 Hz, 1920 × 1080/60 Hz, 1280 × 1024/60 Hz, 1280 × 720/60 Hz, 1024 × 768/60 Hz
<b>VGA</b>	Resolution: 1920 × 1080/60 Hz, 1280 × 1024/60 Hz, 1280 × 720/60 Hz, 1024 × 768/60 Hz
<b>Display Split</b>	8 Channel x D1/Channel x D1/8 Channel x D1/4 Channel x D1/1 Channel x 1080p/1 Channel x 3 MP/1 Channel x 4 MP/ 1 Channel x 5 MP/ 1 Channel x 4K
<b>Digital Zoom</b>	Yes
<b>OSD</b>	Camera Title, Time, Recording, Motion Detection
<b>Video Compression</b>	H265/H264/H265+/H264+
<b>Resolution</b>	4K (4096 × 2160), 5 MP (2592 × 1944), 4 MP (2688 × 1520), 3 MP (2048 × 1536), 1080p (1920 × 1080), 960p (1280 × 960), 720p (1280 × 720), D1 (720 × 576/720 × 480)
<b>Record Rate</b>	PAL: 4K @ 6 × 25 fps, 5 MP @ 7 × 25 fps, 4 MP @ 8 × 25 fps, 3 MP @ 8 × 25 fps, 1080p @ 8 × 25 fps, 960p @ 8 × 25 fps, 720p @ 8 × 25 fps, D1 @ 8 × 25 fps NTSC: 4K @ 6 × 30 fps, 5 MP @ 7 × 30 fps, 4 MP @ 8 × 30 fps, 3 MP @ 8 × 30 fps, 1080p @ 8 × 30 fps, 960p @ 8 × 30 fps, 720p @ 8 × 30 fps, D1 @ 8 × 30 fps
<b>Record Mode</b>	Manual/Timer/Motion Detection
<b>Local Sync Playback</b>	1 Channel 4K @ 30 fps, 1 Channel 5 MP @ 30 fps, 2 Channel 4 MP @ 30 fps, 2 Channel 3 MP @ 30 fps, 4 Channel 1080p @ 30 fps, 4 Channel 960p @ 30 fps, 4 Channel 720p @ 30 fps
<b>Decode Capability</b>	1 Channel 4K (3840 × 2160) @ 30 fps
<b>Remote Sync Playback</b>	Yes

<b>Search Mode</b>	All, Channel, Manual, Time, Date, Motion Detection
<b>Playback Functions</b>	Play, Pause, Stop, Fast Play, Digital Zoom
<b>Backup Mode</b>	USB Device/Network
<b>Interface</b>	1 x RJ45 10M/100M/1000M Adaptive Ethernet Interface
<b>Incoming Bandwidth</b>	100 Mbps
<b>Network Functions</b>	TCP/CP, HTTP, UPnP, DNS, NTP, SMTP, PoE, DHCP, FTP, DDNS, RTP, RTSP, RTCP, P2P
<b>Onvif Version</b>	Supports Onvif 2.4
<b>Web Browser</b>	IE8 - 11, Google Chrome (Lower Than Ver44), Firefox (Lower Than Ver53)
<b>CMS Software</b>	Supports Windows 7/Windows 8/Windows 10
<b>Cloud Support (P2P)</b>	Yes
<b>Smart Phone</b>	iPhone, iPad, Android, Android Pad
<b>Interface Type</b>	2 SATA Interface
<b>Storage Capacity</b>	Up to 12TB Capacity
<b>Language</b>	Chinese, English, Polish, Czech, Russian, Thai, Hebrew, Arabic, Bulgarian, Farsi German, French, Portuguese, Turkic, Spanish, Italian, Hungarian, Romanian, Korean, Dutch, Greek
<b>USB Interface</b>	2 USB 2.0 Interfaces
<b>Power Supply</b>	DC 52 V/2500 mA, ≤10W (Without Hard Disk and PoE)
<b>Working Environment</b>	-10°C - 55°C/10 - 90%
<b>Dimension (W × D × H)</b>	310 * 295 * 46 (mm)
<b>Weight</b>	3.5 kg (Without HDD)

**Dimensions:**

