



PLC-954-IR4/PR

4x Mini PTZ 5 MP



Pollo Pty Ltd.

Address: Suite 401, 55 Phillips St. Parramatta, NSW 2150

Phone: 1300 6600 368

Email: info@pollo.net.au

Website: www.pollo.net.au



PLC-954-IR4/PR

4x Mini PTZ 5 MP



Specifications:

Model	PLC-954-IR4/PR
Image Sensor	1/2.8" SONY Starvis Back-illuminated CMOS Sensor
Horizontal Resolution	5 MP
Compression	H.264/H.265
S/N Ratio	>50 dB
Horizontal Rotation Speed	25°/s
Horizontal Rotation Range	0° - 350°
Tilt Rotation Speed	20°/s
Tilt Rotation Range	0° - 70°
Preset Points	220
Guard Tours	3 Groups
Guard Points	Max. 16 Points
Focal Length	2.8 mm - 12 mm
Focus Control	4X Optical Zoom
Infrared LED	∅ 35 x 4 pcs
IR Range	40m
Day-night Mode	Auto
Network Protocol	TCP/IP, HTTP, FTP, RTSP, UPnP, DNS, NTP, RTP, UDP, IGMP, P2P
ONVIF	Yes
Network Interface	Built-in RJ45 network Interface, Supports 10M/100M IP DATA
Stream Type	Main Stream/Sub-stream/MJPEG
Audio	Optional
Alarm	N/A
PoE	Optional
Ingress Protection	IP67
Operating Temperature	Indoor: 0° - +40°, Outdoor: -15° - +60°
Operating Humidity	≤90% Non-condensing
Power	DC 12V/2A, PoE Optional
Lightning Protection	Transient Voltage 3000 V
Dimension	14 x 14 x 13 (cm)
Weight	1.1 kg

Dimensions:

