



PLC-328M-MZ-IR8/PR

Motorized Bullet 8MP



Pollo Pty Ltd.

Address: Suite 401, 55 Phillips St. Parramatta, NSW 2150

Phone: 1300 6600 368

Email: info@pollo.net.au

Website: www.pollo.net.au



PLC-328M-MZ-IR8/PR

Motorized Bullet 8MP


Specifications:

Model	PLC-328M-MZ-IR8/PR
Image Sensor	1/2.8" Full HD CMOS Sensor
Image Resolution	8M:3840*2160 4M:2560*1440 2M:1920*1080
TV System	PAL/NTSC
Electronic Shutter	AUTO / MANUAL
Scanning System	Progressive Scan
Focus Length	3.6 mm / 6mm
Focus Control	Auto
Lens Type	Auto
IR Cut Filter	YES
Infrared LED	42μ x 6PCS
Infrared Distance	80M
IR Power On / Off	AGC Auto Control
Day/Night	YES
OSD Menu	YES
WDR	YES
UTC	YES
Noise Reduction	3DNR
White Balance	AUTO / MANUAL
Gain Control	AUTO
Housing	Metal, IP67
Bracket	YES
Operation Temperature	-10°C ~ +60°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 750mA
Dimension	220(W) x 105(H) x 109(D)mm
Weight	2150g

Dimensions:

