

pöllö   
**Prime Series**




**8MP FHD CAMERA**

**PLC-338M-IR3/PM**

[www.pollo.net.au](http://www.pollo.net.au)

[info@pollo.net.au](mailto:info@pollo.net.au)



Sensor



Min.  
illumination



BLC



Day&Night




Auto WB



Sync



IP67





## Key Features:

- ✔ 8MP@15fps high resolution, true colour
- ✔ AHD / TVI / CVI standard and lossless video output
- ✔ Up to 1700 TVL resolution
- ✔ CMOS progressive scan, perfectly capture the moving object.
- ✔ Support OSD menu
- ✔ High speed, long distance, and real time transmission
- ✔ Auto colour to B / W at low illumination
- ✔ Support ICR switch, true day / night
- ✔ Support noise reduction function
- ✔ 20 ~ 30m IR night view distance
- ✔ IP67 ingress protection
- ✔ Support COC
- ✔ Support 960H CVBS



## Dimensions:





## Specifications:

<b>Model</b>	<b>PLC-338M-IR3/PM</b>
<b>Image Sensor</b>	1 / 2.7" CMOS
<b>Resolution</b>	8MP@15fps (Max)
<b>Image Size</b>	3840x2160
<b>Video Output</b>	AHD / TVI / CVI / CVBS
<b>Image System</b>	PAL / NTSC
<b>Electronic Shutter</b>	Auto
<b>IR Distance</b>	20 ~ 30 m
<b>Frame Rate</b>	15fps(60Hz), 12.5fps(50Hz)
<b>Min. Illumination</b>	Color: 0.01 lux@F1.2, AGC ON; B/W: 0 lux with IR
<b>Lens</b>	3.6 mm
<b>Lens Mount</b>	M12
<b>S / N Ratio</b>	≥52dB (AGC OFF)
<b>Ingress Protection</b>	IP67
<b>Function Control</b>	OSD (COC Control)
<b>Day &amp; Night</b>	ICR
<b>Digital WDR</b>	Yes
<b>Digital NR</b>	Yes
<b>AGC</b>	Yes
<b>Auto White Balance</b>	Yes
<b>BLC</b>	Yes
<b>Defog</b>	No
<b>LSC</b>	No
<b>HLC</b>	No
<b>Sharpness</b>	Yes
<b>Mirror</b>	No
<b>Smart IR</b>	No
<b>Image Setting</b>	Yes
<b>Defect Correction</b>	Auto
<b>Language</b>	English
<b>Angle Adjustment</b>	Pan: 0°~360°; Tilt: 0°~90°; Rotation: 0°~360°
<b>Power Supply</b>	DC12V (± 10%)
<b>Power Consumption</b>	IR OFF: < 1W; IR ON : < 4W
<b>Working Environment</b>	- 30 °C ~ 50 °C, 10 % ~ 90 % (humidity)
<b>Dimensions (mm)</b>	Φ 94.6 x 82.8
<b>Weight (net)</b>	Approx. 0.41KG